

# NIZAM

Engineered To Survive





Our vertically integrated structure made it possible to customize fabric and different designs in order to keep up with the ever changing trends of the industry, customer taste & preferences.

We provide:

- Diverse Range of Breathable Cotton and Polyester Cotton Fabrics, Dyeing and Finishes
- Wide range of fabric weaving from 6 – 24 oz.
- Widths up to 280 cm
- Selvedge finishes; Leno, tuck-in and conventional
- Our highly skilled stitching allows for versatility in product choice and customization
- Green Fire Retardant and Water Repellent finishes
- PFC Free finish
- Rain test facility to check water repellency of our canvas fabric and camping tents



# BELL TENT



WATER  
PROOF



UV  
PROOF



ROT  
PROOF



## Specifications

**Fabric Material** 240-420 GSM Canvas, PC or 100% Cotton, Natural OR Dyed, Available with WR, Mildew & FR Finish

**Fabric Option** Water & ROT Resistant, also available in Fire Retardant Material

**Groundsheet** Optional Ground Sheet; Polyethylene Laminated 120-200 GSM or PolyVinyl Coated Fabric 420-600 GSM

**Accessories** Stove Jack Option, No See-um Mesh 70 GSM Black or White, 6 mm Ropes, Ground Pins, Hammer

**Frame** Center Pole and A-Frame or Entrance Pole

**Poles** 32 mm x 1.2 mm (Also available: 38 mm x 1.2 mm, 38 mm x 1.5 mm x 38 mm x 1.6 mm)

**Optional** Triangular tarp, Wind Breaker, Awning & Canopy

**Packing** Complete Tent & Accessories packed in a bag

## Dimensions

**Length x Width Outer Tent** 4 x 2.5 meter

**Diameter** 4 meter (Available in 3 meter, 5 meter, 6 meter and 7 meter)

**Center Height** 2.5 meter | 0.6 meter

**Capacity** 6 people

## Packing

### Remarks

Main Door & 3 Windows

### Packing Material

Self Fabric or 100% Polyester Coated Fabric 300-450 GSM

**Marking** As per requirement

Diameter	3M / 10 ft	4M / 13 ft	5M / 16 ft	6M / 20 ft
Peak Height	2.20-2.50 m	2.50-2.70 m	3.00-3.20 m	3.25-3.50 m
Wall Height	0.60-0.80 m	0.60-1.20 m	0.60-1.20 m	0.80-1.20 m
Door Height	1.50-1.70 m	1.50-2.00 m	1.60-2.00 m	1.70-2.00 m

# STAR GAZER



WATER  
PROOF



UV  
PROOF



ROT  
PROOF

Stargazer Roof with roll down canvas blinds



## Specifications

<b>Fabric Material</b>	240-420 GSM Canvas, PC or 100% Cotton, Natural OR Dyed, Available with WR, Mildew & FR Finish
<b>Fabric Option</b>	Water & ROT Resistant, also available in Fire Retardant Material
<b>Groundsheet</b>	Optional Ground Sheet; Polyethylene Laminated 120-200 GSM or PolyVinyl Coated Fabric 420-600 GSM
<b>Accessories</b>	Stove Jack Option, No See-um Mesh 70 GSM Black or White, 6 mm Ropes, Ground Pins, Hammer
<b>Frame</b>	Center Pole and A-Frame or Entrance Pole
<b>Poles</b>	32 mm x 1.2 mm (Also available: 38 mm x 1.2 mm, 38 mm x 1.5 mm x 38 mm x 1.6 mm)
<b>Optional</b>	Triangular tarp, Wind Breaker, Awning & Canopy
<b>Packing</b>	Complete Tent & Accessories packed in a bag

## Dimensions

<b>Length x Width Outer Tent</b>	4 x 2.5 meter
<b>Diameter</b>	4 meter (Available in 5 meter, 6 meter and 7 meter)
<b>Center Height</b>	2.5 meter
<b>Capacity</b>	6 people

## Packing

### Remarks

One Door & 4 Windows

### Packing Material

Self Fabric or 100% Polyester Coated Fabric 300-450 GSM

**Marking** As per requirement

Diameter	3M / 10 ft	4M / 13 ft	5M / 16 ft	6M / 20 ft
Peak Height	2.20-2.50 m	2.50-2.70 m	3.00-3.20 m	3.25-3.50 m
Wall Height	0.60-0.80 m	0.60-1.20 m	0.60-1.20 m	0.80-1.20 m
Door Height	1.50-1.70 m	1.50-2.00 m	1.60-2.00 m	1.70-2.00 m

# 2 DOOR GLAMPING TENT



Two entrances with heavy-duty zipped, full height doors and large windows complete with mosquito nets



## Specifications

<b>Fabric Material</b>	240-420 GSM Canvas, PC or 100% Cotton, Natural OR Dyed, Available with WR, Mildew & FR Finish
<b>Fabric Option</b>	Water & ROT Resistant, also available in Fire Retardant Material
<b>Groundsheet</b>	Optional Ground Sheet; Polyethylene Laminated 120-200 GSM or PolyVinyl Coated Fabric 420-600 GSM
<b>Accessories</b>	Stove Jack Option, No See-um Mesh 70 GSM Black or White, 6 mm Ropes, Ground Pins, Hammer
<b>Frame</b>	Center Pole and A-Frame or Entrance Pole
<b>Poles</b>	32 mm x 1.2 mm (Also available: 38 mm x 1.2 mm, 38 mm x 1.5 mm x 38 mm x 1.6 mm)
<b>Optional</b>	Triangular tarp, Wind Breaker, Awning, Drive-Away & Canopy
<b>Packing</b>	Complete Tent & Accessories packed in a bag

## Dimensions

<b>Length x Width Outer Tent</b>	4 x 2.5 meter
<b>Diameter</b>	4 meter (Available in 5 meter, 6 meter and 7 meter)
<b>Center Height</b>	2.5 meter   0.6 meter
<b>Capacity</b>	6 people

## Packing

### Remarks

Two Doors & 3 Windows

### Packing Material

Self Fabric or 100% Polyester Coated Fabric 300-450 GSM

**Marking** As per requirement

Diameter	3M / 10 ft	4M / 13 ft	5M / 16 ft	6M / 20 ft
Peak Height	2.20-2.50 m	2.50-2.70 m	3.00-3.20 m	3.25-3.50 m
Wall Height	0.60-0.80 m	0.60-1.20 m	0.60-1.20 m	0.80-1.20 m
Door Height	1.50-1.70 m	1.50-2.00 m	1.60-2.00 m	1.70-2.00 m

# EMPEROR TENT



WATER  
PROOF



UV  
PROOF



ROT  
PROOF

Two centre poles joined together with a cross bar, Roll up sides, Three A-frames that can also be connected to other structures as desired, two sides with heavy-duty zipped doors, Windows/air vents complete with mosquito nets



## Specifications

<b>Fabric Material</b>	240-420 GSM Canvas, PC or 100% Cotton, Natural OR Dyed, Available with WR, Mildew & FR Finish
<b>Fabric Option</b>	Water & ROT Resistant, also available in Fire Retardant Material
<b>Groundsheet</b>	Optional Ground Sheet; Polyethylene Laminated 120-200 GSM or PolyVinyl Coated Fabric 420-600 GSM
<b>Accessories</b>	No See-um Mesh 70 GSM Black or White, 6 mm Ropes, Ground Pins, Hammer
<b>Poles</b>	A-Frame or entrance poles and center poles.
<b>Packing</b>	Complete Tent & Accessories packed in a bag

## Dimensions

<b>Floor Area</b>	8 x 6 m
<b>Diameter</b>	6 meter
<b>Center Height   Wall Height   Door Height</b>	3 m   0.6 m   1.85 m
<b>Capacity</b>	6- 8 people

## Packing

### Remarks

Three Doors & 4 Windows

### Packing Material

Self Fabric or 100% Polyester Coated Fabric 300-450 GSM

**Marking** As per requirement



# TOUAREG TENT



Two entrances with heavy-duty zipped, full height doors and large windows either side of the entrances complete with mosquito nets



## Specifications

<b>Fabric Material</b>	240-420 GSM Canvas, PC or 100% Cotton, Natural OR Dyed, Available with WR, Mildew & FR Finish
<b>Fabric Option</b>	Water & ROT Resistant, also available in Fire Retardant Material
<b>Groundsheet</b>	Optional Ground Sheet; Polyethylene Laminated 120-200 GSM or PolyVinyl Coated Fabric 420-600 GSM
<b>Accessories</b>	No See-um Mesh 70 GSM Black or White, 6 mm Ropes, Ground Pins, Hammer
<b>Frame</b>	Center Pole and A-Frame or Entrance Pole
<b>Poles</b>	32 mm x 1.2 mm (Also available: 38 mm x 1.2 mm, 38 mm x 1.5 mm x 38 mm x 1.6 mm)
<b>Optional</b>	Tent Inner and Drive-Away available
<b>Packing</b>	Complete Tent & Accessories packed in a bag

## Dimensions

<b>Length x Width Outer Tent</b>	4.40 x 3.00 m
<b>Diameter</b>	4 meter (Available in 5 meter, 6 meter and 7 meter)
<b>Center Height   Wall Height   Door Height</b>	2.35 m   0.53 m   1.75 m
<b>Capacity</b>	6-8 people

## Packing

**Remarks**  
Two Doors & 8 Windows

**Packing Material**  
Self Fabric or 100% Polyester Coated Fabric 300-450 GSM

**Marking** As per requirement

# PATHFINDER TENT



WATER  
PROOF



UV  
PROOF



ROT  
PROOF



## Specifications

<b>Fabric Material</b>	240-420 GSM Canvas, PC or 100% Cotton, Natural OR Dyed, Available with WR, Mildew & FR Finish
<b>Fabric Option</b>	Water & ROT Resistant, also available in Fire Retardant Material
<b>Groundsheet</b>	Optional Ground Sheet; Polyethylene Laminated 120-200 GSM or PolyVinyl Coated Fabric 420-600 GSM
<b>Accessories</b>	Stove Jack, No See-um Mesh 70 GSM Black or White, Adjustable guy ropes with sliders and pegs, ground pins, Hammer
<b>Poles</b>	32 mm x 1.2 mm (Also available: 38 mm x 1.2 mm, 38 mm x 1.5 mm x 38 mm x 1.6 mm)
<b>Optional</b>	Tent Inner and Fly sheet available
<b>Packing</b>	Complete Tent & Accessories packed in a bag

## Dimensions

<b>Size</b>	8' x 10'   10' x 12'   12' x 14'   14' x 16' (Custom sizes and materials available)
<b>Length x Width Outer Tent</b>	4.2 x 3.2 m
<b>Center Height</b>	6.5'   7.5'   8.25'
<b>Wall Height</b>	3'   4'   5'
<b>Capacity</b>	6- 12 people

## Packing

### Remarks

One Door & 4 Windows

### Packing Material

Self Fabric or 100% Polyester Coated Fabric 300-450 GSM

**Marking** As per requirement



# CASCADER BOW TENT



WATER  
PROOF



UV  
PROOF



ROT  
PROOF

2 Large D-Shaped Doors (Front & Rear) with Coil Zippers  
& Six Large Windows with Mesh



## Specifications

**Fabric** 340 GSM (+/- 5%) 100% Cotton Canvas,  
Water & ROT Resistant  
**Optional Ground Sheet:** 540 GSM (+/-5%),  
Vinyl Polyester Reinforced

**Accessories** 25mm Dia Galvanized Steel Poles,  
10mm Flex-bow Rods, Spring Steel,  
6 mm Ropes, Ground Pins and Hammer

**Packing** Complete Tent & Accessories packed in a bag

## Dimensions

**Length x Width** 3 x 3 meter

**Usable Area** 9 m2

**Center Height** 2 meter

**Capacity** 4 people

## Packing / Shipping

**Weight | Volume Packed**  
34 kg 0.09 cbm

**Loading**  
20' 311 units | 40' 644 units | 40' 755 units

**Marking** As per requirement

# EXPLORER SWAG



WATER  
PROOF



ROT  
PROOF



FLAME  
RETARDANT

Large Top Mesh Ventilator, Large Internally Zipper Canvas Window, Shooter Window



## Specifications

### Fabric

475 GSM (+/- 5%) 100% Cotton Rip Stop Canvas, Water & ROT Resistant

**Sewn In Ground Sheet:** 475 GSM (+/- 5%) 100% Cotton Rip Stop Canvas, Water & ROT Resistant

### Accessories

Polyester Tricord with tightening runners, Fiberglass Rod 7mm, Shooter Window, Pole Organizer & Utility Pocket

### Packing

Complete Tent & Accessories packed in a carton

## Dimensions

### Length x Width Outer Tent

### Height On Head | Height On Foot

Option 1 (Individual Tent)

2.16 x 0.84 meter

0.7 meter | 0.35 meter

Option 2 (Double Tent)

2.16 x 1.21 meter

0.7 meter | 0.35 meter

## Packing / Shipping

### Weight | Volume Packed

### Loading 20' | 40' | 40' HC Containers

Option 1 (Individual Tent)

4.84 kg | 0.013 cbm

2153 units | 4461 units | 5230 units

Option 2 (Double Tent)

5.5 kg | 0.022 cbm

1272 units | 2636 units | 3090 units

# KIDS TEEPEE TENT



Featuring a sturdy frame and crisp cotton material



## Specifications

**Fabric Material** 100% natural and breathable cotton canvas

**Accessories** Poles and connectors

**Packing** Complete Tent & Accessories packed in a bundle

## Dimensions

**Side Length** Length 1.20m x width 1.20m

**Height** 1.40 m

**Capacity** Plenty of room for 2 kids to play inside

## Packing

**Remarks** 1 door & 1 window

**Packing Material** Self Fabric or 100% Polyester Coated Fabric

**Marking** As per requirement





# BEACH SHADE



WATER  
PROOF



UV  
PROOF



ROT  
PROOF



## Specifications

**Fabric** 200 GSM (+/- 5%) 52% Polyester 48% Cotton Canvas with Printed Stripes (as per your requirement)

**Accessories** Beach Shade, MS Coated 25 / 1.2 mm x 2 Standing Poles Adjustable, MS Coated 25/1.2 mm x 1 Ridge Jointed, 4 Ropes with Tensioner 5 mm x 45 cm Pegs and Hammer

**Packing** Complete Tent & Accessories packed in a bundle

## Dimensions

**Length x Width** 3.6 x 1.8 meter

**Usable Area** 6.84 m<sup>2</sup>

**Center Height** 1.8 meter (adjustable)

## Packing / Shipping

**Weight | Volume Packed**  
6 kg | 0.04 cbm

**Loading**  
20' 700 units | 40' 1450 units | 40' 1700 units

**Marking** As per requirement

# ARTIC X TENT



2 Doors + 2 Windows with Flap



## Specifications

**Fabric** 180 GSM (+/- 5%) PE + Water, ROT & UV Resistant + Non-Flame Retardant Fabric

**Ground Sheet:** 180 GSM (+/-5%) PE

**Accessories** Steel pole for corner, Fiber rods (4 sets for roof sides, 2 for roof top), 4 Plastic Connectors, Ropes for tents with tensioner, 4 Pegs with 1 kg Hammer packed in a bundle

**Packing** Complete Tent & Accessories packed in a PE Bag

## Dimensions

**Length x Width** 3.80 x 3.80 meter

**Usable Area** 15.00 m<sup>2</sup>

**Center | Wall Height** 2.30 | 1.50 meter

**Capacity** 6 people

## Packing / Shipping

**Dimensions | Weight | Volume Packed**  
110x35x29 cm | 29 kg | 0.12 cbm

**Loading**  
20' 233 units | 40' 480 units | 40' 565 units

**Marking** As per requirement

# BASE TENT 27.5 M<sup>2</sup>



WATER  
PROOF



UV  
PROOF



ROT  
PROOF

2 Doors + 4 Windows



## Specifications

<b>Fabric</b>	<b>Roof:</b> 440 GSM (+/- 5%) Polyester Cotton Canvas Water + ROT + UV Resistant
	<b>Wall:</b> 320 GSM (+/- 5%) Polyester Cotton Canvas Water + ROT + UV Resistant
	<b>Ground Sheet &amp; Mud Flap:</b> 540 GSM (+/- 5%) PVC Coated

<b>Accessories</b>	Galvanized Steel Pipe Structure Dia 30/1.5 MM, Iron Hammer, Iron Pegs, Ground Pins and Guy Ropes
--------------------	--------------------------------------------------------------------------------------------------------

<b>Packing</b>	One piece packed in a bag
----------------	---------------------------

## Dimensions

<b>Length x Width</b>	5.50 x 5.00 meter
<b>Usable Area</b>	27.50 m <sup>2</sup>
<b>Center   Wall Height</b>	2.50   1.80 meter
<b>Capacity</b>	12-20 persons

## Packing / Shipping

<b>Dimensions</b>	<b>Weight</b>	<b>Volume Packed</b>
230x48x38 cm	124 kg	0.420 cbm

<b>Loading</b>
20' 66 units   40' 138 units   40' 161 units

<b>Marking</b> As per requirement
-----------------------------------



# BASE TENT 33.6 M<sup>2</sup>



2 Doors + 4 Windows



## Specifications

<b>Fabric</b>	<b>Roof:</b> 440 GSM (+/- 5%) Polyester Cotton Canvas Water + ROT + UV Resistant
	<b>Wall:</b> 320 GSM (+/- 5%) Polyester Cotton Canvas Water + ROT + UV Resistant
	<b>Ground Sheet &amp; Mud Flap:</b> 540 GSM (+/- 5%) PVC Coated

<b>Accessories</b>	Aluminium Pipe Structure Dia 40/2 MM, Iron Hammer, Iron Pegs, Ground Pins and Guy Ropes
--------------------	-----------------------------------------------------------------------------------------

<b>Packing</b>	One piece packed in a bag
----------------	---------------------------

## Dimensions

<b>Length x Width</b>	5.60 x 6.00 meter
<b>Usable Area</b>	33.60 m <sup>2</sup>
<b>Center   Wall Height</b>	3.00   2.11 meter
<b>Capacity</b>	15-20 persons

## Packing / Shipping

<b>Dimensions</b>	<b>Weight</b>	<b>Volume Packed</b>
225x45x43 cm	130 kg	0.435 cbm

<b>Loading</b>
20' 64 units   40' 133 units   40' 156 units

**Marking** As per requirement

# HUB TENT 24 M<sup>2</sup>



WATER  
PROOF



UV  
PROOF



ROT  
PROOF



FLAME  
RETARDANT

2 Doors + 4 Windows



## Specifications

**Fabric** 250 GSM PE + Water, Rot and UV Proof + Flame Retardant Finish: CPAI 84-6

**Accessories** 30/1.20 mm Dia, Galvanized Steel Pipes with Steel Cross Pieces, Iron Hammer, Iron Pegs, Ropes and Tensioning System

**Packing** Two wooden boxes strapped together

## Dimensions

**Length x Width** 6.00 x 4.00 meter

**Usable Area** 24.00 m<sup>2</sup>

**Center | Wall Height** 2.90 | 2.05 meter

**Capacity** 12 people

## Packing / Shipping

**Dimensions | Weight | Volume Packed**  
225x57x56cm | 176 kg | 0.72 cbm

**Loading**  
20' 40 units | 40' 80 units | 40' 94 units

**Marking** As per requirement

# HUB TENT 42 M<sup>2</sup>



WATER  
PROOF



UV  
PROOF



ROT  
PROOF



FLAME  
RETARDANT

2 Doors + 6 Windows



## Specifications

<b>Fabric</b>	250 GSM PE + Water, Rot and UV Proof + Flame Retardant Finish: CPAI 84-6
<b>Accessories</b>	30/1.20 mm Galvanized Steel Pipes With Steel Cross Pieces, Iron Hammer, Iron Pegs, Ropes and Tensioning System
<b>Packing</b>	Two wooden boxes strapped together

## Dimensions

<b>Length x Width</b>	6.00 x 7.00 meter
<b>Usable Area</b>	42.00 m <sup>2</sup>
<b>Center   Wall Height</b>	2.90   2.05 meter
<b>Capacity</b>	15-20 people

## Packing / Shipping

**Dimensions | Weight | Volume Packed**  
225x57x72cm | 240 kg | 0.93 cbm

**Loading**  
20' 30 units | 40' 60 units | 40' 72 units

**Marking** As per requirement



# MOBIFLEX BOW TENT



1 Door & 2 Windows



## Specifications

<b>Fabric</b>	<b>Tent:</b> 400 GSM (+/- 5%) Polyester Cotton Rip Stop Canvas, Water & ROT Resistant
	<b>Ground Sheet &amp; Mud Flap:</b> 400 GSM (+/-5%) PVC, Coated Fabric on both sides

<b>Accessories</b>	Complete with Spring Steel Rod Frame, Ground Pins & Guy Ropes
--------------------	---------------------------------------------------------------

<b>Packing</b>	Complete Tent & Accessories packed in a bag
----------------	---------------------------------------------

## Dimensions

<b>Length x Width</b>	2.4 x 2.4 meter
<b>Usable Area</b>	5.76 m <sup>2</sup>
<b>Center   Wall Height</b>	1.85   1.7 meter
<b>Capacity</b>	2 people

## Packing / Shipping

<b>Weight</b>   <b>Volume Packed</b>	24 kg   0.10 cbm
--------------------------------------	------------------

<b>Loading</b>	20' 280 units   40' 580 units   40' 680 units
----------------	-----------------------------------------------

<b>Marking</b>	As per requirement
----------------	--------------------

# TESLA PATROL TENT



2 Doors & No Windows



## Specifications

<b>Fabric</b>	320 GSM (+/- 5%) 100% Cotton Canvas, Water & ROT Resistant
	<b>Ground Sheet &amp; Mud Flap:</b> 180 GSM (+/-5%) PE
<b>Accessories</b>	30mm Dia Galvanized Steel Poles, 6 mm Ropes, Ground Pins and Hammer
<b>Packing</b>	Complete Tent & Accessories packed in a bag

## Dimensions

<b>Length x Width</b>	4 x 3 meter
<b>Usable Area</b>	12 m <sup>2</sup>
<b>Center   Wall Height</b>	2   0.7 meter
<b>Capacity</b>	4 people

## Packing / Shipping

<b>Weight</b>   <b>Volume Packed</b>	
38 kg	0.15 cbm

**Loading**  
20' 186 units | 40' 386 units | 40' 452 units

**Marking** As per requirement



## **Bringing life** to your design

No matter how complex or intricate your design may be - delivering a high quality product at a reasonable cost and withing the shortest possible time, is our promise





SYMBOL OF TRUST

# 1869

SINCE

[sales@nizamcanvas.com](mailto:sales@nizamcanvas.com)  
[www.nizamcanvas.com](http://www.nizamcanvas.com)